

PO Box 2317 Jacksonville FL 32203-9956 SDS Communication for your recent order



644 2 MB 0.423 E0100X 10757 D2923312029 S2 P4723007 0001:0006

# 

QUILEUTE TRIBAL SCHOOL 40 OCEAN DR PO BOX 39 LA PUSH WA 98350-0039

10/11/17

Enclosed, please find Safety Data Sheets for your recent orders: 1104050 You can find a complete library of more than 11,000 data sheets at our web site www.supplyworks.com If you have any questions, please contact Customer Service at 866-412-6726

482915 00000

# **Renown® Dust Mop Treatment**

## (REN05023-AM / 880280)

Version 1.0

Revision Date 05/20/2015

Print Date 05/29/2015

## **SECTION 1. PRODUCT AND COMPANY IDENTIFICATION**

Material name

: Renown® Dust Mop Treatment

Material number

: A00810

Manufacturer or supplier's details

Company

: Interline Brands

Address

: 701 San Marco Blvd. Jacksonville, FL 32207

Telephone

: 1-866-412-6726

**Emergency telephone numbers** 

For SDS Information

: 1-866-412-6726 ncy : 1-800-424-9300

For a Medical Emergency
For a Transportation

Chemtrec 1-800-424-9300

**Emergency** 

## **SECTION 2. HAZARDS IDENTIFICATION**

## **Emergency Overview**

Appearance	Aerosol containing a liquefied gas
Colour	white
Odour	characteristic

#### **GHS Classification**

Flammable aerosols Gases under pressure Skin irritation

: Category 2: Liquefied gas: Category 2

**GHS Label element** 

Hazard pictograms





Signal word

Warning

Hazard statements

: H223 Flammable aerosol.

H280 Contains gas under pressure; may explode if heated.

H315 Causes skin irritation.

Precautionary statements

: Prevention:

P210 Keep away from heat, hot surfaces, sparks, open flames

and other ignition sources. No smoking.

P211 Do not spray on an open flame or other ignition source. P251 Pressurized container: Do not pierce or burn, even after

use.

P264 Wash skin thoroughly after handling.

P280 Wear protective gloves.

Response:

# Renown® Dust Mop Treatment

## (REN05023-AM / 880280)

Version 1.0

Revision Date 05/20/2015

Print Date 05/29/2015

P302 + P352 IF ON SKIN: Wash with plenty of soap and water. P332 + P313 If skin irritation occurs: Get medical advice/ attention.

P362 Take off contaminated clothing and wash before reuse.

Storage:

P410 + P412 Protect from sunlight. Do not expose to

temperatures exceeding 50 °C/ 122 °F.

## **Potential Health Effects**

Carcinogenicity:

**IARC** No component of this product present at levels greater than or

equal to 0.1% is identified as probable, possible or confirmed

human carcinogen by IARC.

**ACGIH** No component of this product present at levels greater than or

equal to 0.1% is identified as a carcinogen or potential

carcinogen by ACGIH.

**OSHA** No component of this product present at levels greater than or

equal to 0.1% is identified as a carcinogen or potential

carcinogen by OSHA.

NTP No component of this product present at levels greater than or

equal to 0.1% is identified as a known or anticipated carcinogen

by NTP.

#### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

## **Hazardous components**

Chemical Name	CAS-No.	Concentration [%]
Distillates (petroleum), hydrotreated heavy naphthenic	64742-52-5	>= 10 - < 20
Distillates (petroleum), hydrotreated light	64742-47-8	>= 5 - < 10
butane	106-97-8	>= 5 - < 10
Stoddard solvent	8052-41-3	>= 5 - < 10
propane	74-98-6	>= 1 - < 5

## **SECTION 4. FIRST AID MEASURES**

General advice

: Show this safety data sheet to the doctor in attendance.

Do not leave the victim unattended.

If inhaled

: If unconscious place in recovery position and seek medical

If symptoms persist, call a physician.

In case of skin contact

: If skin irritation persists, call a physician.

Wash off immediately with plenty of water for at least 15

minutes.

If on clothes, remove clothes.

In case of eye contact

Remove contact lenses.

Flush eyes with water at least 15 minutes. Get medical

attention if eye irritation develops or persists.

# **Renown® Dust Mop Treatment**

(REN05023-AM / 880280)

Version 1.0 Revision Date 05/20/2015 Print Date 05/29/2015

If swallowed : Keep respiratory tract clear.

DO NOT induce vomiting unless directed to do so by a

physician or poison control center.

#### **SECTION 5. FIREFIGHTING MEASURES**

Suitable extinguishing media : Alcohol-resistant foam

Carbon dioxide (CO2)

Dry chemical Water spray jet

Unsuitable extinguishing

media

: High volume water jet

Specific hazards during

firefighting

: Do not allow run-off from fire fighting to enter drains or water

courses.

Hazardous combustion

products

: Carbon dioxide (CO2) Carbon monoxide

Smoke

Specific extinguishing

methods

: Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Further information : Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations. For safety reasons in case of fire, cans should be stored

separately in closed containments.

Use a water spray to cool fully closed containers.

Special protective equipment

for firefighters

: Wear self-contained breathing apparatus for firefighting if

necessary.

## **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.

Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas.

Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

Environmental precautions

Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for containment and cleaning up

: Soak up with inert absorbent material (e.g. sand, silica gel,

acid binder, universal binder, sawdust).

Sweep up or vacuum up spillage and collect in suitable

container for disposal.

# **Renown® Dust Mop Treatment**

(REN05023-AM / 880280)

Version 1.0

Revision Date 05/20/2015

Print Date 05/29/2015

### **SECTION 7. HANDLING AND STORAGE**

Advice on safe handling

: Avoid contact with skin and eyes.

For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the

application area.

Take precautionary measures against static discharges. Provide sufficient air exchange and/or exhaust in work rooms. Open drum carefully as content may be under pressure.

Always replace cap after use.

Dispose of rinse water in accordance with local and national

regulations.

Do not breathe vapours or spray mist.

Conditions for safe storage

: BEWARE: Aerosol is pressurized. Keep away from direct sun exposure and temperatures over 50 °C. Do not open by force or throw into fire even after use. Do not spray on flames or

red-hot objects. No smoking.

Containers which are opened must be carefully resealed and

kept upright to prevent leakage. Observe label precautions.

Electrical installations / working materials must comply with

the technological safety standards.

Keep in a dry, cool and well-ventilated place.

Materials to avoid

: Strong oxidizing agents

## **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

## Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Distillates (petroleum), hydrotreated heavy naphthenic	64742-52-5	TWA (Mist)	5 mg/m3	OSHA Z-1
		TWA (Inhalable fraction)	5 mg/m3	ACGIH
Distillates (petroleum), hydrotreated light	64742-47-8	TWA	500 ppm 2,000 mg/m3	OSHA Z-1
		TWA	400 ppm 1,600 mg/m3	OSHA P0
butane	106-97-8	TWA	800 ppm 1,900 mg/m3	NIOSH REL
		TWA	800 ppm 1,900 mg/m3	OSHA P0
Stoddard solvent	8052-41-3	TWA	100 ppm	ACGIH
		TWA	350 mg/m3	NIOSH REL
		С	1,800 mg/m3	NIOSH REL
		TWA	500 ppm 2,900 mg/m3	OSHA Z-1
		TWA	100 ppm 525 mg/m3	OSHA P0
propane	74-98-6	TWA	1,000 ppm	ACGIH

Version 1.0

## **Renown® Dust Mop Treatment**

## (REN05023-AM / 880280)

Print Date 05/29/2015

TWA	1,000 ppm 1,800 mg/m3	NIOSH REL
TWA	1,000 ppm 1,800 mg/m3	OSHA Z-1
TWA	1,000 ppm 1,800 mg/m3	OSHA P0

Revision Date 05/20/2015

## Personal protective equipment

Respiratory protection : In case of insufficient ventilation, wear suitable respiratory

equipment.

Hand protection

Remarks : The suitability for a specific workplace should be discussed

with the producers of the protective gloves.

Eye protection : Safety glasses

Ensure that eyewash stations and safety showers are close to

the workstation location.

Skin and body protection : impervious clothing

Choose body protection according to the amount and

concentration of the dangerous substance at the work place.

Hygiene measures : When using do not eat or drink.

When using do not smoke.

Wash hands before breaks and at the end of workday.

#### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : Aerosol containing a liquefied gas

Colour : white

Odour : characteristic
Odour Threshold : no data available
pH : not applicable

Melting point/freezing point : no data available

Boiling point : no data available

Flash point :

not applicable

Evaporation rate : no data available

Flammability (solid, gas) : Extremely flammable aerosol.

Upper explosion limit : no data available

Lower explosion limit : no data available

Vapour pressure : no data available

Relative vapour density : no data available

Density : 0.93 g/cm3

Solubility(ies)

# **Renown® Dust Mop Treatment**

# (REN05023-AM / 880280)

Print Date 05/29/2015

Version 1.0 Revision Date 05/20/2015

Water solubility

: emulsifiable

Partition coefficient: n-

octanol/water

: no data available

Auto-ignition temperature

: not determined

Thermal decomposition

: no data available

Viscosity

Viscosity, kinematic

: no data available

## **SECTION 10. STABILITY AND REACTIVITY**

Reactivity : Stable

Chemical stability : Stable under normal conditions.

Possibility of hazardous

reactions

: No decomposition if stored and applied as directed.

Vapours may form explosive mixture with air.

Conditions to avoid : Heat, flames and sparks.

Extremes of temperature and direct sunlight.

Incompatible materials : Oxidizing agents

Hazardous decomposition

products

: Carbon dioxide (CO2)

Carbon monoxide

## **SECTION 11. TOXICOLOGICAL INFORMATION**

#### **Acute toxicity**

## **Components:**

Distillates (petroleum), hydrotreated heavy naphthenic:

Acute oral toxicity

: LD50 rat: > 5,000 mg/kg

Acute inhalation toxicity

: LC50 rat: > 5 mg/l

Exposure time: 4 h

Acute dermal toxicity : LD50 rabbit: > 5,000 mg/kg

Distillates (petroleum), hydrotreated light:

Acute oral toxicity : LD50 rat: > 5,000 mg/kg

Acute inhalation toxicity : LC50 rat: > 4.6 mg/l

Exposure time: 6 h

Acute dermal toxicity : LD50 rat: > 2,000 mg/kg

## **Renown® Dust Mop Treatment**

(REN05023-AM / 880280)

Version 1.0 Revision Date 05/20/2015 Print Date 05/29/2015

butane:

Acute inhalation toxicity : LC50 mouse: 1,237 mg/l

Exposure time: 2 h

LC50 rat: 1,355 mg/l

propane:

Acute inhalation toxicity : LC50 mouse: 1,237 mg/l

Exposure time: 2 h

LC50 rat: 658 mg/l Exposure time: 4 h

LC50 rat: 1,355 mg/l

#### Skin corrosion/irritation

**Product:** 

Remarks: May cause skin irritation in susceptible persons.

## Serious eye damage/eye irritation

**Product:** 

Remarks: Vapours may cause irritation to the eyes, respiratory system and the skin.

#### Respiratory or skin sensitisation

no data available

Germ cell mutagenicity

no data available

Carcinogenicity

no data available

Reproductive toxicity

no data available

Distillates (petroleum), hydrotreated heavy naphthenic:

Distillates (petroleum), hydrotreated light:

butane:

Stoddard solvent:

propane:

STOT - single exposure

no data available

STOT - repeated exposure

no data available

**Aspiration toxicity** 

no data available

**Further information** 

**Product:** 

# Renown® Dust Mop Treatment

## (REN05023-AM / 880280)

Version 1.0

Revision Date 05/20/2015

Print Date 05/29/2015

Remarks: no data available

**Components:** 

Distillates (petroleum), hydrotreated light:

Remarks: no data available

#### **SECTION 12. ECOLOGICAL INFORMATION**

**Ecotoxicity** 

no data available

Persistence and degradability

no data available

**Bioaccumulative potential** 

**Product:** 

Partition coefficient: n-

octanol/water

**Components:** 

butane :

Partition coefficient: n-

octanol/water

: Remarks: no data available

: Pow: 2.89

Mobility in soil

no data available

Other adverse effects

no data available

**Product:** 

Regulation 40 CFR Protection of Environment; Part 82 Protection of

Stratospheric Ozone - CAA Section 602 Class I

Substances

Remarks This product neither contains, nor was manufactured

> with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A

+ B).

Additional ecological

information

: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal., Harmful to

aquatic life with long lasting effects.

Components:

Distillates (petroleum), hydrotreated light:

Additional ecological

information

: no data available

#### **SECTION 13. DISPOSAL CONSIDERATIONS**

**Disposal methods** 

## Renown® Dust Mop Treatment

(REN05023-AM / 880280)

Version 1.0

Revision Date 05/20/2015

Print Date 05/29/2015

Waste from residues

: Dispose of in accordance with local regulations.

The product should not be allowed to enter drains, water

courses or the soil.

Do not contaminate ponds, waterways or ditches with

chemical or used container.

Contaminated packaging

: Empty remaining contents.

Dispose of as unused product. Do not re-use empty containers.

Do not burn, or use a cutting torch on, the empty drum.

#### **SECTION 14. TRANSPORT INFORMATION**

Transportation Regulation: 49 CFR (USA): ORM-D, CONSUMER COMMODITY

Transportation Regulation: IMDG (Vessel): UN1950, AEROSOLS, 2.1, - Limited quantity

Transportation Regulation: IATA (Cargo Air):

UN1950, Aerosols, flammable, 2.1, - Limited quantity

Transportation Regulation: IATA (Passenger Air): UN1950, Aerosols, flammable, 2.1, - Limited quantity

Transportation Regulation: TDG (Canada): UN1950, AEROSOLS, 2.1, - Limited quantity

## **SECTION 15. REGULATORY INFORMATION**

## **EPCRA - Emergency Planning and Community Right-to-Know Act**

## **CERCLA Reportable Quantity**

Components	CAS-No.	Component RQ	Calculated product RQ
		(lbs)	(lbs)
xylenes	1330-20-7	100	*

<sup>\*:</sup> Calculated RQ exceeds reasonably attainable upper limit.

## **SARA 304 Extremely Hazardous Substances Reportable Quantity**

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards

: Fire Hazard

Sudden Release of Pressure Hazard

**Acute Health Hazard** 

**SARA 302** 

: SARA 302: No chemicals in this material are subject to the

reporting requirements of SARA Title III, Section 302.

# Renown® Dust Mop Treatment

## (REN05023-AM / 880280)

Version 1.0

Revision Date 05/20/2015

Print Date 05/29/2015

**SARA 313** 

: SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

California Prop 65

This product does not contain any chemicals known to State of

California to cause cancer, birth defects, or any other

reproductive harm.

## The components of this product are reported in the following inventories:

**TSCA** 

On TSCA Inventory

DSL

This product contains one or several components that are not on the

Canadian DSL nor NDSL.

AICS NZIoC PICCS

**IECSC** 

Not in compliance with the inventory Not in compliance with the inventory Not in compliance with the inventory Not in compliance with the inventory


## Inventory Acronym and Validity Area Legend:

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TSCA (USA)

#### **SECTION 16. OTHER INFORMATION**

### **Further information**

NFPA:



Special hazard.

### HMIS III:

HEALTH	3
FLAMMABILITY	3
PHYSICAL HAZARD	2

0 = not significant, 1 = Slight,

2 = Moderate, 3 = High

4 = Extreme, \* = Chronic

## OSHA GHS Label Information:

Hazard pictograms







Signal word : Warning:

Hazard statements : Flam

Flammable aerosol. Contains gas under pressure; may explode if heated. Causes skin

Precautionary statements

**Prevention:** Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source.



# Renown® Dust Mop Treatment

(REN05023-AM / 880280)

Version 1.0

Revision Date 05/20/2015

Print Date 05/29/2015

Pressurized container: Do not pierce or burn, even after use. Wash skin thoroughly after

handling. Wear protective gloves.

Response: IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/ attention. Take off contaminated clothing and wash before reuse. Storage: Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122

Version:	1.0
Revision Date:	05/20/2015
Print Date:	05/29/2015

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.

1001236