

Safety Data Sheet Spartan Chemical Company, Inc.

Revision Date: 05-Aug-2015

1. PRODUCT AND COMPANY IDENTIFICATION

Product Identifier

Product Name:

M.L.D. BOWL CLEANSE

Product Number: Recommended Use: 7225,7104 Disinfectant

Uses Advised Against:

For Industrial and Institutional Use Only

Manufacturer/Supplier:

Spartan Chemical Company, Inc.

1110 Spartan Drive Maumee, Ohio 43537 USA 800-537-8990 (Business hours)

www.spartanchemical.com

24 Hour Emergency Phone Numbers:

Medical Emergency/Information: 888-314-6171

Transportation/Spill/Leak:

CHEMTREC 800-424-9300

PARTAZZA RIDISHIDIEN ETEKCZA IKONI

GHS Classification

Skin Corrosion/Irritation:

Category 1 Sub-category B

Serious Eye Damage/Eye Irritation: Corrosive to Metals:

Category 1 Category 1

GHS Label Elements

Symbols:

Signal Word:

Danger



Hazard Statements:

Causes severe skin burns and serious eye damage.

May be corrosive to metals.

Precautionary Statements:

Prevention:

Do not breathe mist, vapors or spray.

Wash hands and any exposed skin thoroughly after handling.

Wear protective gloves. Wear eye / face protection. Wear protective clothing.

Keep in original or other corrosion resistant container.

Response:

-Eyes

IMMEDIATELY CALL A POISON CENTER OR PHYSICIAN.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

-Skin IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water

or shower. Wash contaminated clothing before reuse.

-Inhalation: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for

-Ingestion:

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

-Specific Treatment: See Safety Data Sheet Section 4: "FIRST AID MEASURES" for additional information.

Spill:

Absorb spillage to prevent material damage.

Storage: Store locked up. Store in corrosion resistant container. 7225 - M.L.D. BOWL CLEANSE

.....

Dispose of contents and container in accordance with local, state and federal regulations.

Revision Date: 05-Aug-2015

Hazards Not Otherwise Classified: Not Applicable

Other Information:

Disposal:

· Corrosive.

Harmful if swallowed

• Inhalation of vapors or mist may cause respiratory irritation.

Do not mix with hypochlorite-type bleach or other household chemicals as hazardous

vapors or gases may be produced.

• Keep out of reach of children.

• NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric

lavage.

0.00123% of the mixture consists of ingredient(s) of unknown toxicity.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
water	7732-18-5	60-100
phosphoric acid	7664-38-2	10-30
alkyl dimethyl benzyl ammonium chloride	68424-85-1	<0.1

Specific chemical identity and/or exact percentage of composition has been withheld as a trade secret.

4 FIRST AID MEASURES

-Eye Contact: Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and

easy to do. Continue rinsing. IMMEDIATELY CALL A POISON CENTER OR PHYSICIAN.

-Skin Contact: Take off immediately all contaminated clothing and shoes. Rinse with water or shower for

at least 15 minutes. IMMEDIATELY CALL A POISON CENTER OR PHYSICIAN. Wash

contaminated clothing before reuse.

-Inhalation: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

IMMEDIATELY CALL A POISON CENTER OR PHYSICIAN.

-Ingestion: Rinse mouth. Do NOT induce vomiting. IMMEDIATELY CALL A POISON CENTER OR

PHYSICIAN. Never give anything by mouth to an unconscious person.

Note to Physicians: NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric

lavage.

20) 25. FIRE FIGHTING MEASURES

Suitable Extinguishing Media:

Product does not support combustion, Use extinguishing agent suitable for type of

surrounding fire

Specific Hazards Arising from the

Chemical:

Contact with metals may evolve flammable hydrogen gas.

Hazardous Combustion Products:

May include Carbon monoxide Carbon dioxide and other toxic gases or vapors.

Protective Equipment and Precautions for Firefighters:

Wear MSHA/NIOSH approved self-contained breathing apparatus (SCBA) and full

protective gear. Cool fire-exposed containers with water spray.

6 ACCIDENTAL RELEASE MEASURES

Personal Precautions: Environmental Precautions: Methods for Clean-Up: Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

Do not rinse spill onto the ground, into storm sewers or bodies of water.

Prevent further leakage or spillage if safe to do so. Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see Section 13).

7/JHANDLING AND STORACE

7225 - M.L.D. BOWL CLEANSE

Revision Date: 05-Aug-2015

Advice on Safe Handling:

Handle in accordance with good industrial hygiene and safety practice. Wash thoroughly

after handling.

Storage Conditions:

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach

of children. Keep from freezing.

Incompatible Materials:

Reactive metals such as aluminum, zinc and tin. Sodium hypochlorite (or other

hypochlorites).

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational Exposure Limits: None established.

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH
phosphoric acid 7664-38-2	STEL: 3 mg/m³ TWA: 1 mg/m³	TWA: 1 mg/m³	IDLH: 1000 mg/m³
7 004-30-2	TVVA. Ting/iii	(vacated) TWA: 1 mg/m³ (vacated) STEL: 3 mg/m³	TWA: 1 mg/m³ STEL: 3 mg/m³

Engineering Controls:

Provide good general ventilation.

If work practices generate dust, fumes, gas, vapors or mists which expose workers to chemicals above the occupational exposure limits, local exhaust ventilation or other

engineering controls should be considered.

Eye wash stations and shower facilities should be readily accessible in areas where the

product is handled.

Personal Protective Equipment

Eye/Face Protection:

Wear splash goggles.

Skin and Body Protection: **Respiratory Protection:**

Wear rubber or other chemical-resistant gloves.

Not required with expected use.

If occupational exposure limits are exceeded or respiratory irritation occurs, use of a

NIOSH/MSHA approved respirator suitable for the use-conditions and chemicals in Section

3 should be considered.

General Hygiene Considerations:

Wash hands and any exposed skin thoroughly after handling.

See 29 CFR 1910.132-138 for further guidance.

PHYSICALIAND CHEMICALIPROPERTIES

Appearance/Physical State:	Liquid	
Color:	Pink	
Odor:	Floral fragrance	
pH:	< 1.0	
MeIting Point / Freezing Point:	No information available.	
Boiling Point / Boiling Range:	100 °C / 212 °F	
Flash Point:	> 100 °C / > 212 °F ASTM D56	
Evaporation Rate:	< 1 (Butyl acetate = 1)	
Flammability (solid, gas)	No information available.	
Upper Flammability Limit:	No information available.	
Lower Flammability Limit:	No information available.	
Vapor Pressure:	No information available.	
Vapor Density:	No information available.	
Specific Gravity:	1.14	
Solubility(ies):	Soluble in water	
Partition Coefficient:	No information available.	
Autoignition Temperature:	No information available.	
Decomposition Temperature:	No information available.	
Viscosity:	No information available.	

OF STABILITY AND REAGINARY

Reactivity:

This material is considered to be non-reactive under normal conditions of use.

Chemical Stability:

Stable under normal conditions.

Possibility of Hazardous Reactions: Not expected to occur with normal handling and storage.

7225 - M.L.D. BOWL CLEANSE

Conditions to Avoid:

Extremes of temperature and direct sunlight.

Incompatible Materials:

Reactive metals such as aluminum, zinc and tin. Sodium hypochlorite (or other

hypochlorites).

Hazardous Decomposition

Products:

May include carbon monoxide, carbon dioxide (CO2) and other toxic gases or vapors.

Revision Date: 05-Aug-2015

THE TOXICOLOGICAL INFORMATION

Likely Routes of Exposure:

Eyes, Skin, Ingestion, Inhalation.

Symptoms of Exposure: -Eye Contact:

Pain, redness, swelling of the conjunctiva and tissue damage. Eye contact may cause

permanent damage.

-Skin Contact:

Pain, redness, blistering and possible chemical burn.

-Inhalation:

Nasal discomfort and coughing.

-Ingestion:

Damage or chemical burns to mouth, throat and stomach. Pain, nausea, vomiting and

diarrhea.

Immediate, Delayed, Chronic Effects

Product Information:

Data not available or insufficient for classification.

Target Organ Effects:

-Eyes. Respiratory System. -Skin.

Numerical Measures of Toxicity

The following acute toxicity estimates (ATE) are calculated based on the GHS document.

ATEmix (oral):

6043 mg/kg

ATEmix (dermal):

10783 mg/kg

Component Acute Toxicity Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
water 7732-18-5	> 90 mL/kg (Rat)	Not Available	Not Available
phosphoric acid 7664-38-2	= 1530 mg/kg (Rat)	= 2730 mg/kg(Rabbit)	> 850 mg/m³(Rat)1 h
alkyl dimethyl benzyl ammonium chloride 68424-85-1	= 426 mg/kg(Rat)	Not Available	Not Available

Carcinogenicity: No components present at 0.1% or greater are listed as to being carcinogens by ACGIH, IARC, NTP or OSHA.

1/2 ECOLOCICAL NEORWATION

Ecotoxicity

ECOLOXICITY				
Chemical Name	Algae/Aquatic Plants	Fish	Toxicity to	Crustacea
	`		Microorganisms	`
phosphoric acid	Not Available	3 - 3.5: 96 h Gambusia	Not Available	4.6: 12 h Daphnia magna
7664-38-2		affinis mg/L LC50		mg/L EC50

Persistence and Degradability:

No information available.

Bioaccumulation:

No information available.

Other Adverse Effects:

No information available.

MB DISPOSALICONSIDERATIONS

Disposal of Wastes:

Dispose of in accordance with federal, state and local regulations.

Contaminated Packaging:

Dispose of in accordance with federal, state and local regulations.

US EPA Waste Number:

D002

14 TRANSPORT INFORMATION

DOT:

Revision Date: 05-Aug-2015

UN/ID No:

UN1760

Proper Shipping Name:

Corrosive liquids, n.o.s., (contains phosphoric acid)

Hazard Class: Packing Group:

8 III

Special Provisions:

Shipping descriptions may vary based on mode of transport, quantities, package size,

and/or origin and destination. Check with a trained hazardous materials transportation

expert for information specific to your situation.

IMDG:

UN/ID No:

UN 1760

Proper Shipping Name:

Corrosive liquids, n.o.s., (contains phosphoric acid)

Hazard Class: Packing Group:

8 III

15. REQUIATORY INFORMATION

TSCA Status: (Toxic Substance Control Act Section 8(b) Inventory)

All chemical substances in this product are included on or exempted from listing on the TSCA Inventory of Chemical Substances.

SARA 313

This product does not contain listed substances above the "de minimus" level

SARA 311/312 Hazard Categories

Acute Health Hazard: Chronic Health Hazard: Yes No

Fire Hazard:

No

Sudden release of pressure hazard:

No

Reactive Hazard:

No

California Proposition 65

This product is not subject to warning requirements under California Proposition 65.

EPA Pesticide Registration Number: 5741-3

EPA Statement:

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

EPA Pesticide Label:

Danger. Corrosive. Causes irreversible eye damage. Harmful if swallowed or absorbed through skin or inhaled. Do not get in eyes or on clothing. Avoid breathing spray mist. Wear goggles or face shield. Wear protective clothing and chemical resistance gloves (such as barrier laminate orbutyl rubber, nitrile rubber, neoprene rubber, PVC or viton, category C*). Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove contaminated clothing and wash clothing before reuse.

16 OTHER INFORMATION

NFPA

Health Hazards: 3

Flammability: 0

Instability: 0

Special: N/A

HMIS

Health Hazards: 3

Flammability: 0

Physical Hazards: 0

Revision Date:

05-Aug-2015

Reasons for Revision:

Section 14 and 15

Disclaimer:

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet