SAFETY DATA SHEET DISINFECTANT DEODORANT II AEROSOL

Version 1.0		Revision Date 05/30/2015	Print Date 07/10/2015
SECTION 1. PRODUCT AND	COMP	ANY IDENTIFICATION	
Material name	:	DISINFECTANT DEODORANT II A	EROSOL
EPA ID Number:		10807-177-75842	
Material number	:	00000000001027076	

Manufacturer or supplier's details

Company	:	Interline Brands, Inc.
Address	:	701 San Marco Blvd. Jacksonville, FL 32207 USA

Telephone : 866-412-6726

Emergency telephone numbers

For SDS Information	:	866-412-6726
For a Medical Emergency	:	1-800-424-9300
For a Transportation Emergency		Chemtrec 1-800-424-9300

SECTION 2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance	Aerosol containing a liquefied gas
Colour	white, light yellow
Odour	characteristic

GHS Classification

Flammable aerosols Gases under pressure Eye irritation	: Category 2 : Liquefied gas : Category 2A
GHS Label element	
Hazard pictograms	
Signal word	: Warning
Hazard statements	 H223 Flammable aerosol. H280 Contains gas under pressure; may explode if heated. H319 Causes serious eye irritation.
Precautionary statements	 Prevention: P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P211 Do not spray on an open flame or other ignition source. P251 Pressurized container: Do not pierce or burn, even after use.

Version 1.0	Revision Date 05/30/2015	Print Date 07/10/2015
Potential Health Effects	 P264 Wash skin thoroughly after handle P280 Wear eye protection/ face protection Response: P305 + P351 + P338 IF IN EYES: Rinsfor several minutes. Remove contact leasy to do. Continue rinsing. P337 + P313 If eye irritation persists: Cattention. Storage: P410 + P412 Protect from sunlight. Dottemperatures exceeding 50 °C/ 122 °F Disposal: P501 Dispose of contents/container in regulation. 	etion. se cautiously with water enses, if present and Get medical advice/ o not expose to
Carcinogenicity:		
IARC	No component of this product present at le equal to 0.1% is identified as probable, po human carcinogen by IARC.	
ACGIH	No component of this product present at le equal to 0.1% is identified as a carcinogen carcinogen by ACGIH.	
OSHA	No component of this product present at le equal to 0.1% is identified as a carcinogen carcinogen by OSHA.	
NTP	No component of this product present at le equal to 0.1% is identified as a known or a by NTP.	

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous components

Chemical Name	CAS-No.	Concentration [%]
ethanol	64-17-5	>= 50 - < 70
butane	106-97-8	>= 10 - < 20
propane	74-98-6	>= 1 - < 5
propan-2-ol	67-63-0	>= 1 - < 5

SECTION 4. FIRST AID MEASURES

General advice	: Move out of dangerous area. Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended.
If inhaled	 If unconscious place in recovery position and seek medical advice. If symptoms persist, call a physician.
In case of skin contact	: If skin irritation persists, call a physician.

Version 1.0	ersion 1.0 Revision Date 05/30/2015	
	Wash off immediately with plenty of water for at least 15 minutes. If on clothes, remove clothes. Wash contaminated clothing before re-use.	
In case of eye contact	: Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a s In case of contact, immediately flus for at least 15 minutes.	•
If swallowed	: Keep respiratory tract clear. Never give anything by mouth to ar If symptoms persist, call a physicia DO NOT induce vomiting unless di physician or poison control center.	n.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	lcohol-resistant arbon dioxide (C ry chemical 'ater spray jet	
Unsuitable extinguishing media	igh volume wate	er jet
Specific hazards during firefighting	o not allow run-o ourses.	off from fire fighting to enter drains or water
Hazardous combustion products	arbon dioxide (C arbon monoxide moke	,
Specific extinguishing methods		measures that are appropriate to local d the surrounding environment.
Further information	eparately in clos se a water spray ollect contamina	s in case of fire, cans should be stored ed containments. y to cool fully closed containers. ted fire extinguishing water separately. This harged into drains.
Special protective equipment for firefighters	/ear self-contain ecessary.	ed breathing apparatus for firefighting if

SECTION 6. ACCIDENTAL RELEASE MEASURES

: Use personal protective equipment.
Ensure adequate ventilation.
Remove all sources of ignition.
Evacuate personnel to safe areas.
Beware of vapours accumulating to form explosive

Version 1.0	Revision Date 05/30/2015	Print Date 07/10/2015
	concentrations. Vapours can accumulate	e in low areas.
Environmental precautions :	Prevent product from entering drains. Prevent further leakage or spillage if safe If the product contaminates rivers and la respective authorities.	
Methods and materials for : containment and cleaning up	: Sweep up or vacuum up spillage and collect in suita container for disposal. Soak up with inert absorbent material (e.g. sand, sil acid binder, universal binder, sawdust).	

SECTION 7. HANDLING AND STORAGE

Advice on safe handling :	Do not breathe vapours/dust. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Take precautionary measures against static discharges. Provide sufficient air exchange and/or exhaust in work rooms. Open drum carefully as content may be under pressure. Dispose of rinse water in accordance with local and national regulations. Always replace cap after use. Do not breathe vapours or spray mist.
Conditions for safe storage :	 BEWARE: Aerosol is pressurized. Keep away from direct sun exposure and temperatures over 50 °C. Do not open by force or throw into fire even after use. Do not spray on flames or red-hot objects. No smoking. Observe label precautions. Keep in a dry, cool and well-ventilated place. Electrical installations / working materials must comply with the technological safety standards.
Materials to avoid :	Oxidizing agents

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
ethanol	64-17-5	TWA	1,000 ppm	ACGIH
		TWA	1,000 ppm 1,900 mg/m3	NIOSH REL
		TWA	1,000 ppm 1,900 mg/m3	OSHA Z-1
		TWA	1,000 ppm 1,900 mg/m3	OSHA P0

ersion 1.0	Revision	Revision Date 05/30/2015		Print Date 07/10/2015		
butane	106-97-8	TWA	800 ppm 1,900 mg/m3	NIOSH REL		
		TWA	800 ppm 1,900 mg/m3	OSHA P0		
propane	74-98-6	TWA	1,000 ppm	ACGIH		
		TWA	1,000 ppm 1,800 mg/m3	NIOSH REL		
		TWA	1,000 ppm 1,800 mg/m3	OSHA Z-1		
		TWA	1,000 ppm 1,800 mg/m3	OSHA P0		
propan-2-ol	67-63-0	TWA	200 ppm	ACGIH		
		STEL	400 ppm	ACGIH		
		TWA	400 ppm 980 mg/m3	NIOSH REL		
		ST	500 ppm 1,225 mg/m3	NIOSH REL		
		TWA	400 ppm 980 mg/m3	OSHA Z-1		
		TWA	400 ppm 980 mg/m3	OSHA P0		
		STEL	500 ppm 1,225 mg/m3	OSHA P0		

Biological occupational exposure limits

Component	CAS-No.	Control	Biological	Sampling time	Permissible concentration	Basis
		parameters	specimen	ume	concentration	
PROPAN-2-OL	67-63-0	Acetone	Urine	End of shift at end of workwee k	40 mg/l	ACGIH BEI

Personal protective equipment				
Respiratory protection	Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrate that exposures are within recommended exposure guideline			
Hand protection				
Remarks	The suitability for a specific workplace should be discussed with the producers of the protective gloves.			
Eye protection	Ensure that eyewash stations and safety showers are close the workstation location. Tightly fitting safety goggles	to		
Skin and body protection	impervious clothing Choose body protection according to the amount and concentration of the dangerous substance at the work place	÷.		
Hygiene measures	When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.			

Version 1.0

Appearance	:	Aerosol containing a liquefied gas
Colour	:	white, light yellow
Odour	:	characteristic
Odour Threshold	:	no data available
рН	:	10.3 - 10.8
Melting point/freezing point	:	no data available
Boiling point	:	no data available
Flash point	:	
		no data available
Evaporation rate	:	no data available
Flammability (solid, gas)	:	Flammable aerosol.
Upper explosion limit	:	no data available
Lower explosion limit	:	no data available
Vapour pressure	:	no data available
Relative vapour density	:	no data available
Density	:	0.840 g/cm3
Solubility(ies)		
Water solubility	:	completely soluble
Solubility in other solvents	:	not determined
Partition coefficient: n- octanol/water	:	no data available
Auto-ignition temperature	:	not determined
Thermal decomposition	:	no data available
Viscosity		
Viscosity, kinematic	:	no data available
Heat of combustion	:	29.16 kJ/g
		5

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Stable
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No decomposition if stored and applied as directed.
	Vapours may form explosive mixture with air.
Conditions to avoid	: Heat, flames and sparks.

_

Version 1.0	Revision Date 05/30/2015	Print Date 07/10/2015
	Extremes of temperature and direct su	nlight.
	Heat, flames and sparks.	
Incompatible materials	: Oxidizing agents Reducing agents Ammonium salts	
Hazardous decomposition products	: Carbon oxides	

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity	
Product:	
Acute oral toxicity	: Acute toxicity estimate : > 5,000 mg/kg Method: Calculation method
Components:	
ethanol: Acute oral toxicity	: LD50 Oral rat: 7,060 mg/kg
Acute inhalation toxicity	: LC50 rat: 124.7 mg/l Exposure time: 4 h
butane: Acute inhalation toxicity	: LC50 mouse: 1,237 mg/l Exposure time: 2 h
	LC50 rat: 1,355 mg/l
propane: Acute inhalation toxicity	: LC50 mouse: 1,237 mg/l Exposure time: 2 h
	LC50 rat: 658 mg/l Exposure time: 4 h
	LC50 rat: 1,355 mg/l
propan-2-ol: Acute oral toxicity	: LD50 Oral rat: 4,396 mg/kg Method: Calculation method
Skin corrosion/irritation	

Skin corrosion/irritation

Product:

Remarks: May cause skin irritation in susceptible persons.

Serious eye damage/eye irritation

Version 1.0

Product:

Remarks: Severe eye irritation

Remarks: May cause irreversible eye damage.

Respiratory or skin sensitisation

no data available

Germ cell mutagenicity

no data available

Carcinogenicity

no data available

Reproductive toxicity

no data available

ethanol: butane: propane: propan-2-ol:

STOT - single exposure

no data available

STOT - repeated exposure

no data available

Aspiration toxicity

no data available

Further information

Product:

Remarks: no data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

no data available

Persistence and degradability

no data available Bioaccumulative potential

Product:

: Remarks: no data available
: Pow: 2.89

Version 1.0	Revision Date 05/30/2015	Print Date 07/10/2015
octanol/water		
Mobility in soil		
no data available		
Other adverse effects		
no data available <u>Product:</u>		
Regulation	40 CFR Protection of Environment; Stratospheric Ozone - CAA Section Substances	
Remarks	This product neither contains, nor w with a Class I or Class II ODS as de Clean Air Act Section 602 (40 CFR + B).	fined by the U.S.
Additional ecological information	no data available	

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	 Do not dispose of waste into sewer. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of in accordance with local regulations.
Contaminated packaging	 Empty remaining contents. Dispose of as unused product. Do not re-use empty containers. Do not burn, or use a cutting torch on, the empty drum.

SECTION 14. TRANSPORT INFORMATION

Transportation Regulation: 49 CFR (USA): ORM-D, CONSUMER COMMODITY

Transportation Regulation: IMDG (Vessel): UN1950, AEROSOLS, 2.1, - Limited quantity

Transportation Regulation: IATA (Cargo Air): UN1950, Aerosols, flammable, 2.1, - Limited quantity

Transportation Regulation: IATA (Passenger Air): UN1950, Aerosols, flammable, 2.1, - Limited quantity

Transportation Regulation: TDG (Canada): UN1950, AEROSOLS, 2.1, - Limited quantity

Version 1.0

Revision Date 05/30/2015

SECTION 15. REGULATORY INFORMATION

This product is regulated under the United States Federal Insecticide, Fungicide and Rodenticide Act (FIFRA).

Pesticide Labeling Information Required Under U.S. FIFRA Regulations

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

Components	CAS-No.		Calculated product RQ
		(lbs)	(lbs)
sodium nitrite	7632-00-0	100	*

*: Calculated RQ exceeds reasonably attainable upper limit.

SARA 304 Extremely Hazardous Substances Reportable Quantity

-		•	-		
Components	CAS-No		Component RQ (lbs)	Calculated product RQ (lbs)	
ammonia, anhydrous	7664-41	-7	100	*	
*: Calculated RQ exceeds reasonably attainable upper limit.					
SARA 311/312 Hazards	: Sudden Re Acute Healt Fire Hazard	h Hazard	ressure Hazard		
SARA 302			cals in this materia s of SARA Title III	al are subject to the , Section 302.	
SARA 313	component	s with kno [.] De Minimis	rial does not cont wn CAS numbers s) reporting levels	-	
California Prop 65 biphenyl-2-ol	WARNING! This product co State of California to cause		cause cancer.	emical known to the 90-43-7	
The components of this product are reported in the following inventories:					
	On TSCA Inventory This product contains one or several components that are not on the				

TSCA	On TSCA Inventory
DSL	This product contains one or several components that are not on the
	Canadian DSL nor NDSL.
AICS	Not in compliance with the inventory
NZIoC	Not in compliance with the inventory
PICCS	Not in compliance with the inventory
IECSC	Not in compliance with the inventory
	· · ·

Inventory Acronym and Validity Area Legend:

Version 1.0

Revision Date 05/30/2015

Print Date 07/10/2015

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIOC (New Zealand), PICCS (Philippines), TSCA (USA)

SECTION 16. OTHER INFORMATION

OSHA GHS Label Information:

Further information NFPA: HMIS III: Flammability HEALTH 3 nstability Health FLAMMABILITY 3 0 3 **PHYSICAL HAZARD** 2 0 = not significant, 1 =Slight, Special hazard. 2 = Moderate, 3 = High4 = Extreme, * = Chronic

Hazard pictograms : Signal w ord Hazard statements : Precautionary statements : Hazard statements : H

 Prevention: Keep aw ay from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Wash skin thoroughly after handling. Wear eye protection/ face protection.

 Response: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/ attention.

 Storage: Protect fromsunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F.

 Disposal: Dispose of contents/container in accordance with local regulation.

Version:	1.0
Revision Date:	05/30/2015
Print Date:	07/10/2015

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.

Version 1.0